Modern styling, feature-rich corded phone, antibacterial & anti-fingerprint; Perfect for today's modern hotel rooms

S2210-X (Silver/Black, 0 Speed Dials)   **S2210-X** (Silver/Black, 5 Speed Dials)   **S2210-X** (Matte Black, 10 Speed Dials)

1-Line SIP Contemporary Corded Hotel Telephone

KEY FEATURES

- Antibacterial plastic inhibits 99.9% of bacteria growth
- Special finish on handset rear and base plate resists fingerprint smudges and scratches
- High-quality base speakerphone for hands-free operation
- Fully customisable faceplate for hotel branding and dialing instructions
- USB charging port makes it easy for guests to charge smart phones and other electronic devices
- Advanced SIP configuration tool for easy mass deployment and phone monitoring

PHONE FEATURES

- Flash, Hold, Mute and Redial
- Redial the last number called with the touch of a button; automatically expires in 15 minutes to protect guest privacy
- Base dial pad
- Up to 10 removable, programmable speed dials
- One non-removable, programmable speed dial
- 10/100/1000 Mbps RJ45 switched computer port provides HSIA for guest computer
- Large, bright visual message waiting indicator alerts guests of new messages
- Compatible with all major PBXs
- Power over Ethernet (PoE): telephone features work without AC power
- Hearing-aid compatible
- Multi-step volume control (ringer and speakerphone)
- Selectable ring tones
- Supports VLAN Tagging
- Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium

E: charles.williams@vtecheurope.com

T: +44 1746 769580 (EMEA)

E: rommy_wu@vtechhotelphones.com

T: +852 2751 8213 (APAC)

SPECIFICATIONS

- Colours: Silver/Black, Matte Black
- Compatible with all major PBXs
- Message Waiting Signal Type: Varies by PBX, including SIP RFC 3261
- Flash: Programmable timing (100/300/600ms)
- Power Source: PoE Class 2
- Humidity: 45% - 85%
- Temperature: 5ºC - 45ºC

CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA

CORDS & ACCESSORIES S2210-X

	S2210-X		
Standard LAN Cable w/RJ45 Connectors	10' (3 meters)		
Standard Coiled Handset Cord	12' (3.66 meters)		
Wall Mount for Base	Included		

DIMENSIONS

Phone Measurements	INCHES	CENTIMETERS	WEIGHT
S2210-X (Handset on Cradle, Desk Mounted)	8.1" x 6" x 4.2"	20.6cm x 15.3cm x 10.7cm	2.09lbs (0.946kg)
S2210-X (Handset on Cradle, Wall Mounted)	2.7" x 6" x 8.5"	6.9cm x 15.3cm x 21.5cm	
Carton Measurements (12 pcs per carton)			
S2210-X	22" x 17.8" x 9.3"	56cm x 45cm x 23.6cm	31.77lbs (14.41kg)

*   Some features may be revised subject to final design of hardware and software platform.
   All weights above have included the weights of cords and accessories.

E: charles.williams@vtecheurope.com

T: +44 1746 769580 (EMEA)

E: rommy_wu@vtechhotelphones.com

T: +852 2751 8213 (APAC)